





NOTES UNLESS OTHERWISE SPECIFIED

1. MATERIAL: 304SS, 16 Ga.
2. REMOVE ALL SHARP EDGES AND BURRS. BREAK WITH A .02 IN X 45 DEG CHAMFER OR .02 IN RADII.

REVISIONS				
ZONE	REV.	DESCRIPTION	DATE	APPROVED
	A	INITIAL RELEASE FOR MANUFACTURING	16JUL2013	B. KEEL



DETAIL B
SCALE 2 : 1



SECTION A-A

PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF TOLEDO METAL SPINNING COMPANY. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF TOLEDO METAL SPINNING COMPANY IS PROHIBITED.

UNLESS OTHERWISE SPECIFIED:		NAME	DATE	TOLEDO METAL SPINNING Co.		
1. DIMENSIONS ARE IN INCHES	DRAWN	B. KEEL	16JUL2013	TITLE: TMSL2016-BEADED		
2. TOLERANCE: FRACTIONAL $\pm .25$ X.X $\pm .1$ X.XX $\pm .03$ X.XXX $\pm .01$ ANGULAR: ± 2 DEG.	CHECKED					
3. THIRD ANGLE PROJECTION	ENG APPR.					
INTERPRET DRAWING PER ASME-Y14.5M-1994 STANDARDS MATERIAL	MFG APPR.					
FINISH	Q.A.			SIZE	DWG. NO.	REV
DO NOT SCALE DRAWING	COMMENTS:			B	TMSL2016-BEADED	A
				SCALE: 1:4	WEIGHT:	SHEET 1 OF 1